P7

G. R. S. IX-5]

Previous references.

File No. 50-21.

Serial Nos 1-2.

1921.

(police)

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. Four

Part B for September 1921.

SUBJECT.

Improvements to the Police Lines at Kallar Kattle.

Sl 2). 2b The Sanitary Commr.

No. J 1660 of 21.9.21.

States that the D.G. of Police has reported that no funds are available for the work this year and he will be requested to take steps next year and to provide necessary funds therefor.

No. J 1661 of 21.9.21

Forward Copy of the above to the D.G. of police.

WD 1868—GPB—10,626—23-9-21

23/9/21.

G. R. S. 11] 1921.

GENERAL AND REVENUE SECRETARIAT.

(Police)

NOTES.

File No. 50-4

FILE HEADING.

Improvements to the Police lines at Kallur Kattu.

From

No.	Dated	Received

Diary No.	Enclos.	Spare Copies.	Serial No.

BRIEF ABSTRACT OF LETTER.

NOTES AND ORDERS.

NOTES—First Sheet.

(2

G. R. S. III-2

General and Revenue Secretariat. | Police File No. 50 of 1926.

Serial No.	
1	From The Sany. Commissr. No. C 1205-4 dt 26.8.26. States that the improvements proposed to the police lines at Kallar-Kuttu are very urgently needed and requests that instructions in the matter may be issued early. In parties 1826 vide page 4.

Note

There is no connected file in the Sub-shelf to be put up. Sd/-

30/8

3) There does not appear to be any file regarding Police lines at Kallar Kuttu in the Police Section.

Sd/- 30/8

4) The I.G.P. has already informed the Sanitary Commissioner that no improvement is possible on account of financial stringency (vide copy of his letter below). If considered necessary the I.G.P. may be requested

NOTE—Contn. sheet.

Serial No.

to prepare an estimate of cost in regard to the improvements proposed. & if this is within moderate limits & if funds there by reappropriation

2nd 30/8

2nd Member) dcg 30/8/21

1641 31/8/21

3) May be taken up next year.

Ketki

Verified

Please inform accordingly. Draft please. cag 17.9.21

(12) Draft Sabda.

9.9

Issue. cag 9.9.21

9/9 19/9

2 To The Sanitary Commr No 1660 dt 21-9-1921

States that the S.P. Police has reported that no funds are available for the work this year and he will be requested to take steps next year and to provide necessary funds therefor

To The S.P. Police No 1661 dt 21-9-1921

Forwards copies of the above.

NOTE—Contn. sheet

4

G. R. S. III-2

General and Revenue Secretariat. | File No. of 19

D. No. 868

4

No. C/1205-4
Enc. one

Office of the Sanitary Commissioner in Mysore,

Bangalore dated 26th August 1921.

Police 50-21-1

From

A. K. PANI, Esq., D.P.H., &c.,
~~Offg.~~ Sanitary Commissioner in Mysore,
BANGALORE.

To

B. Ramasawmaiya, Esq., B.A.,B.L.,
Secretary to Government of Mysore,
Revenue Department, BANGALORE.

Sir,

I have the honor to enclose herein copy of my letter No. C. 1205 dated the 24th June 1921 addressed to the Inspector General of Police and that of his reply in the matter of effecting certain improvements to the Police Lines at Kallurkatte. As the improvements proposed are not of the nature requiring a large outlay but at the same time are very urgently needed I request that Government may be pleased to issue necessary instructions for necessary improvements being effected without delay.

I have the honor to be,
Sir,
Your most obedient servant.

Submit for perusal & orders. owing to financial stringency the I. G. of Police has said that it is impossible to effect the improvements. SEC 29/8

29/8

~~Offg.~~ Sanitary Commissioner.

NOTE—Contn. sheet.

Encl 581 1.

Letter No. C. 1205 dated the 24th June 1921 from the Sanitary Commissioner in Mysore to the Inspector General of Police, Bangalore.

I have the honor to state that during my recent inspection of the Kallurkatte Town, I observed that the houses in the Police Lines are as they are quite unfit for human habitation.

2. It is a sad thing that these public servants should be housed in a manner revealing even less consideration than is given to the accommodation of animals in a menagerie.

3. The lines consist of back to back houses arranged in a row, each house having a permanent partition in the middle. The partition wall should be removed as the present accommodation is insufficient even for a single person.

4. The ventilation and lighting are thoroughly inadequate. The houses require more windows to be provided for cross ventilation as also smoke tiles for the prevention of smoke nuisance.

5. No latrine is put up for the quarters and the difficulty experienced by the inmates of the houses mostly gosha women needs only to be mentioned to be realised.

6. I request therefore that you will be so good as to take such action as is necessary to have the necessary improvements effected at a very early date.

R e p l y.

Letter No. D2 Dis. 358/21 dated the 30th/31st July 1921 from the Inspector General of Police in Mysore to the Sanitary Commissioner in Mysore, Bangalore.

With reference to your letter No. C. 1205 dated the 24th June 1921, requesting to take such action as is necessary to have the improvements made to the Police lines at Kallurkatte, I have the honor to state that no improvement is likely to be possible on account of financial stringency.

"COPIES"

Offg. Sanitary Commissioner.

4

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to 868

General and Revenue Secretariat
(Police)
, the 191 .

Date of issue 21/9/21

Signed by M-Clg

Section Police
File No. 50-4
Serial No. 2

No. 1660

To

The Sanitary Commissioner in Mysore

With reference to your letter No. C 1205/4 d/ 26th August 1921 regarding improvements to the Police lines at Kalle Kalle, I am directed to state that proposals in the matter with an estimate of cost may

over.

be submitted for the consideration of Government.

The Inspector General has reported that no funds are available for the work this year. He will be requested to take steps to provide for it next year and to submit necessary proposals therefor.

I have etc.
Illegible
D.P.W.

be submitted for the
consideration of Govt
some time before
the budget of the next
year.

I have &c

For Genl Secy

1879
Memo No 1876
Copy forwarded
with compliments
to the D.G. of Police
for information.

with the request that
steps may be
taken for effecting the necessary
improvements next year.

List of enclosures.

Copied by

Examined by